EQUUS 1-48 Editorial Index

This cumulative index is designed as a practical reference to the material that has appeared in EQUUS since the magazine's inception. With an emphasis on health-care topics, the subjects are listed alphabetically. Their corresponding issue numbers (in bold print) and page numbers follow.

A

ACTIVITIES
bird hunting on horseback **42**/*48-51, 72-73*
coaching **33**/*56, 60*
cutting **25**/*30-36*
diving horses **30**/*61, 63*; **35**/*57-58*; **41**/*61*
dressage **20**/*64-65*
driving **48**/*32-38*
endurance riding **24**/*64, 67*
eventing **14**/*20-26, 51*
40-horse hitch **28**/*24-28*
German wrangler's roundup **42**/*54-55*
jousting **11**/*15-18*
mall exhibitions **36**/*51, 56*
polo **30**/*60, 62*
Pony Club **32**/*26-27*
racing:
Arabian **33**/*10, 12-15*; **37**/*10-15*; **39**/*10-15*
burro **31**/*28-30, 32*
Cajun bush **22**/*41-46, 82-83*
harness **22**/*56-57*; **35**/*26-28, 73*
in Hong Kong **15**/*50, 56-57*
Thoroughbred **6**/*53-59*; **37**/*62, 64-67*; **44**/*85*
rodeo **11**/*30-35*
reserve deputies **47**/*51, 54*
showing **14**/*49-50*; **19**/*60, 66-67*; **48**/*62-63*
soccer-playing horse **34**/*60*
syndication **48**/*57, 60-61*
team roping **45**/*36-40*
trail riding **32**/*57-59*; **34**/*40-46, 76-77*; **45**/*52*; **48**/*58*
vaulting **27**/*59, 61*

ALLERGY **14**/*18-19, 58*; **36**/*31-34, 47-48*

APPETITE **48**/*26-29, 69-71* (see also "Nutrition")

ARTHRITIS **12**/*44*; **39**/*40-45*
ankylosing **43**/*12*
in racehorses **10**/*14-20*
of the stifle **32**/*14*
osteoarthritis **31**/*18*
yucca treatment **39**/*46, 51*

B

BACK
conformation **27**/*44-48, 78-81*; **30**/*28, 78*
flexion **27**/*47-48*
lordosis **3**/*61-62*
muscles **5**/*26*; **27**/*47*
saddle bruising **42**/*20, 22, 62*
spine **27**/*48*:
cervical fusion **21**/*54-55*
dorsal horn **37**/*23-25*
swayback **3**/*61-62*; **27**/*79*
vertebrae **27**/*46*

BACTERIA
anthrax **5**/*45*
brucella **8**/*68*; **23**/*74-77*
corynebacterium equi (pneumonia) **16**/*52*
escherichia coli **16**/*53*
leptospira **7**/*53*; **13**/*10-13*
salmonella **7**/*51*; **22**/*76-78*
septicemia **11**/*61*; **16**/*71*

BALANCE **34**/*34-39*
and saddle design **40**/*26*
conformational **30**/*25*
on the bit **46**/*32, 67*

BANDAGING **1**/*66, 68*
improper **9**/*32*
joints **9**/*29-33*
legs **4**/*51-55*
poultices **46**/*44-45*
to improve impaired circulation **46**/*14*
to lock buckling knees **45**/*12*

BARNS (see also "Boarding Stables")
construction **20**/*58-59, 76*
cost **9**/*49*
floors **25**/*38-41*

BEDDING **25**/*41-43*

BEHAVIOR (see also "Fear," "Herds," "Intelligence," "Reproduction," "Shipping," "Stress," "Training" and "Vices")
communication **2**/*41*; **10**/*28*; **19**/*32-33*; **20**/*26-32, 78-80*; **21**/*26-33, 72-73*; **23**/*28*
foal **16**/*52*; **29**/*77*
habits **8**/*37*; **10**/*25*
instincts **2**/*35-44*; **9**/*20*; **10**/*22*; **19**/*28-33*:
and intelligence **46**/*26*
avoiding pain **37**/*30*
homing **8**/*34*; **33**/*48*
hunger **37**/*28-29*
self-preservation **19**/*28-31*; **37**/*28-31*
learning **8**/*36-37*; **10**/*28*; **15**/*51-53*; **16**/*53*; **23**/*27*
man's effect on **8**/*37, 58-59*; **9**/*20-27*
mare-foal relationship **19**/*32*; **29**/*55-58, 77*
maternal drive **16**/*53*; **19**/*32*; **29**/*55-58*
memory **23**/*27-28, 32*
movement **21**/*26-33, 72-73*; **23**/*27*
neurotic **10**/*25-26*
play **2**/*38*; **10**/*22-28*; **29**/*56*
reinforcement **8**/*36*; **9**/*23-26*
sexual **2**/*37-38, 43*; **3**/*21-22*; **19**/*31-32, 68*
solitary horse **13**/*62-63*; **18**/*61-62*
stimulating **8**/*36*; **9**/*23*
wild stallion **27**/*38-41*

BITS **29**/*45-50, 74-76*; **46**/*31*

BITTING **46**/*28-34, 67*
rig **46**/*30*
soured horse **46**/*32, 34, 67*
younger horse **46**/*28-32*

BLOOD DISORDERS (see also "Piroplasmosis")
agammaglobulinemia **6**/*22*
combined immunodeficiency (CID) **6**/*17-27*
excess red blood cells **8**/*64-66*
hematoma **3**/*41*; **15**/*31*
hemolytic anemia **8**/*56-57*; **28**/*56, 65-66*; **36**/*33*
hemolytic icterus **14**/*63*
passive transfer failure **3**/*11*; **6**/*22*
selective IgM deficiency **6**/*22*
septicemia **11**/*61*; **16**/*71*

BOARDING STABLES **35**/*50-54, 74, 76*

BRAIN **23**/*27-32, 84*; **37**/*24*; **42**/*45*; **43**/*26*

BREEDING (see "Reproduction")

BREEDS
Akhal-Teke **17**/*60*; **25**/*48, 54-57*
American Hunter & Jumper **3**/*15-18*; **12**/*22-23*
American Part-Blooded **36**/*27*
American Saddlebred **46**/*52-55*
Andalusian **22**/*70*; **33**/*36-40, 76*
Appaloosa **5**/*17, 19*; **31**/*60, 63*; **37**/*62, 64-67*
Arabian **22**/*72*; **36**/*26*:
combined immunodeficiency (CID) **6**/*17-27*
importation **2**/*14-16, 20-22, 28-32, 72*
racing **33**/*10, 12-15*; **37**/*10-15*; **39**/*10-15*
Bashkir Curly **43**/*61, 66-67*
burro **31**/*28-30, 32*; **39**/*22-24*
draft **13**/*42-49, 66*; **22**/*72-73*; **28**/*24-28*; **35**/*57, 60*
dressage **20**/*64-65*
Holsteiner **7**/*20*
Icelandic **29**/*61, 70-71*
in Portugal **15**/*20-26, 63*
in Spain **33**/*36-40, 76*
Kanata **36**/*51, 57*
Kentucky Walker **32**/*57*
Lipizzan **15**/*23*; **43**/*31*
miniature **24**/*65, 68-69*
miniature Mediterranean donkey **7**/*15-17*
Morab **36**/*26-27*
Morgan **23**/*62, 71*; **38**/*14*
mule **34**/*56, 65*
Paint **23**/*70-71*
Part-Thoroughbred **36**/*26-27*
Peruvian Paso **17**/*56, 62-63*
plantation walker **42**/*48-51, 72-73*
ponies **7**/*53-55*; **38**/*36-42*:
Chincoteague **2**/*36*; **10**/*36-42*; **37**/*30*
Connemara **8**/*18-21*; **38**/*41*
Quarter Horse **1**/*18-23*; **15**/*51-53*; **22**/*68, 70-73*; **23**/*62, 68-69*; **25**/*32-36*; **30**/*17*; **40**/*53, 58*
Spanish Barb **5**/*19-20*
Spanish mustang **20**/*61*
Standardbred **1**/*24-26*; **22**/*55-67, 71*; **24**/*66-67*; **35**/*26-28, 73*
Thorcheron **3**/*15*; **6**/*27*; **36**/*26-27*
Thoroughbred **15**/*51-53*; **22**/*71-72*
Tennessee Walker **15**/*64-65*; **33**/*16, 18-22*; **42**/*53*
white and creme **47**/*54-55*
wild horses **17**/*44*; **20**/*45-53, 72-73*:
adoption **3**/*18-20*; **9**/*17-18*; **10**/*36-42*; **30**/*60, 66-67*; **37**/*64*; **41**/*55-56*; **48**/*56*
stallion war **27**/*38-41*

C

CANCER
abdominal **12**/*42*
biopsy **31**/*39*
blood vessel **1**/*80, 83*
bone cyst **42**/*64-65*
collagen granuloma **31**/*38-39*
conchal cyst **46**/*16, 18*
equine sarcoid **2**/*59*
granulosa **29**/*78, 80-81*
giant cell **47**/*12, 14-15*
hoof horn **4**/*42*
in older horses **12**/*44*
lipoma **12**/*42*; **17**/*72*
lymphosarcoma **7**/*50*; **31**/*40*
mast cell **31**/*39*
melanoma **5**/*19*; **12**/*44*; **31**/*39*
sarcoid **2**/*59*
skin **20**/*69-71*; **21**/*20-24*
squamous cell carcinoma **7**/*50*; **12**/*44*; **31**/*38*
teratoma **37**/*16*; **46**/*16, 18*
tumors **20**/*70-71*

CARDIOVASCULAR SYSTEM **24**/*28-34*
abnormalities **24**/*33*; **36**/*19-23*
cardiac muscle **11**/*22*
conditioning **25**/*22-28*; **27**/*23-25*

CHOKE **1**/*55*; **10**/*54*
horse Heimlich maneuver **45**/*51, 53*

CIRCULATORY SYSTEM (see also "Blood Disorders," "Cardiovascular System" and "Hoof")
aneurysm **7**/*24*
blood vessel tumor **1**/*80, 83*
carpal tunnel syndrome **45**/*12*
conditioning **12**/*26*
hypertension **9**/*38*
infarction **7**/*24*
intestines **7**/*23*
pulse **2**/*48-49*; **6**/*34*
scar tissue impairment **46**/*12, 14*

COAT (see also "Color" and "Grooming")
growth patterns **29**/*26*
hair analysis **28**/*75*
shedding **25**/*18*
trichoglyphs (whorls) **27**/*63-64*

COLIC **1**/*56, 58*; **7**/*22, 61-63*; **11**/*55*; **12**/*42*; **15**/*14-18*; **17**/*25-28, 72-73*; **37**/*34-39, 82*; **38**/*8-9*
Bolshoi gastrointestinal program **45**/*50*
bran as a deterrent **43**/*13-14*
gangrene of intestine **17**/*72*
hernia of intestine **17**/*27*
impaction **1**/*78*; **8**/*55*; **17**/*26-28*
intestinal sounds **28**/*39*
lipoma **12**/*42*; **17**/*72*
overfilled stomach **17**/*27*
ring scar **17**/*72*
solid mass in gut **17**/*27*
twisted gut **1**/*78*; **7**/*61*; **17**/*26, 28, 72*; **44**/*16*

COLOR **17**/*30-38*
white markings restrictions of registries **23**/*62, 68-71*

CONDITIONING **12**/*24-28*; **14**/*11-12*; **19**/*14-18*; **21**/*14-18* (see also "Cardiovascular System")

CONFORMATION **30**/*22-28, 78*; **34**/*24*
and motion **30**/*23*
and weight-carrying capability **31**/*20*
balance **30**/*25*
body parts **27**/*44-48, 78-81*; **30**/*24-28, 78*; **34**/*29-30*
propensity to splints **46**/*50*

CONTAGIOUS EQUINE METRITIS (CEM) **2**/*23-26*; **8**/*15-16*; **19**/*61, 65*

COST OF OWNERSHIP **9**/*44-49, 70*; **10**/*10*; **13**/*37-39, 58-59, 68*; **35**/*12, 14, 22, 24-25*; **48**/*40-42, 77* (see also "Examination")

CROSSBREEDING **36**/*24-28* (see also "Reproduction")
foal development **20**/*68*
prepotency **28**/*45*

CRYOSURGERY **20**/*61-63*; **36**/*59* (see also "Identification" and "Nerving")
cryoneurectomy **40**/*30-31*

D

DEHYDRATION **7**/*33-34, 65*; **14**/*51* (see also "Water")

DEWORMING (see "Parasites")

DIARRHEA **7**/*34, 51*; **25**/*59-60*; **44**/*22, 24*

DIGESTIVE SYSTEM **1**/*53-58, 78* (see also "Colic")
cecum **1**/*58*
digestive fluid **1**/*56-57*
disorders:
abscess **7**/*50*
adhesions **47**/*16*
enteroliths **15**/*14-18*
gangrene **7**/*24*
infarction **7**/*24*
impaction **1**/*78*; **8**/*55*; **15**/*32*; **17**/*26-28*; **22**/*16-17*
intussusception **7**/*26*
neoplasm **7**/*50*
potbelly **15**/*61*
protein-losing enteropathy **7**/*50*
enzymes **1**/*58*; **14**/*37-39*
epiglottis **1**/*55*
esophagus **1**/*55*
fermentation digestion **1**/*58*
in aged horses **12**/*42*
intestines **15**/*16-18*; **17**/*25-28, 72-73*; **22**/*76-78*:
circulation **7**/*23*
flora **1**/*58*; **9**/*40*
large **1**/*57*
small **1**/*56-57*
large colon **1**/*58*
pharynx **1**/*55*
rectum **1**/*78*
salivary glands **1**/*55*; **23**/*18-23*
small colon **1**/*78*
soft palate **1**/*55*
stomach **1**/*56*; **17**/*25-28, 72-73*
tongue **1**/*54*
villi **1**/*57*

DRUGS (see "Medication")

E

EDEMA 5/40; 11/41; 13/16; 14/59-60
ENCEPHALITIS 3/30; 5/42
Eastern 18/61, 66-67
vaccinations 3/13; 5/42
Venezuelan 18/61, 66-67
Western 18/61, 66-67
EQUINE INFECTIOUS ANEMIA (EIA) 1/26; 3/30; 4/16-22; 10/38-39; 13/50, 56-57; 23/58; 28/56, 62; 32/52; 36/33
EUTHANASIA 22/48-52
EVOLUTION 1/28-35; 38/37-38; 39/26-30; 40/52, 58
EXAMINATION 13/14-16; 28/30-31, 34-40 (see also "Laboratory Tests")
attitude 28/35
before bitting 46/28-29
breath 28/36-37
breeding 18/72
capillary refill time 28/39
environment 28/38
expression 28/35
eyes 28/36
intestinal sounds 28/39
mobility 28/35
mouth 28/30-31
newborn 22/12, 16
peripheral pulse 28/39-40
posture 28/35
prepurchase 32/54; 47/20-24, 92
second opinion 41/44-45
selecting a veterinarian 12/50-51, 70
skin 28/36-37
splints 46/46-50, 63
spring health check 18/7; 43/35
temperature 28/37-39
EXERCISE (see also "Conditioning")
aerobic 25/23, 25-27
anaerobic 25/23, 25-27
cooling 17/64-66
interval training 25/28; 27/23-25
overexertion 14/11-12, 51
EYE 16/24-31
blindness 27/18-21:
moonblindness (periodic ophthalmia) 7/53
night blindness 5/19; 12/53
contact lenses 35/60-61
color perception 16/29-30
cornea 16/24
corneal ulcers 46/12
depth perception 16/27-28
examination 24/48-49; 28/36
foal entropion 15/32
focusing 16/30-31
inflammation 18/18-22
lack of tears 45/16-19
lens 16/30
older horses' 12/43
optic nerve 16/30
peripheral vision 16/24-28
pupil 16/27
retina 16/30-31
tapetum 16/28
tear duct obstruction 47/16
vision 8/31-33

F

FARRIERY (see also "Hoof")
certification 32/61
competency test 20/60, 66-67; 26/61
regulations 14/48, 54-55
shoeing 3/35; 4/37; 10/31-34; 24/12-16; 39/37:
assessing hoof balance 33/28-33
cost 9/70
lameness following 40/33-35, 60
pulling shoe 33/29
trimming 1/20-21; 3/35; 5/65-66; 6/10-15
types of shoes 10/34; 19/23, 54; 35/18-21; 39/32-37, 55; 44/22
FEAR 8/54; 9/27; 37/28-31, 40-43 (see also "Behavior")
and will to survive 37/28-31
curing frightened horse 37/30-31; 43/49-50, 70
in goal-oriented training 37/40-43
FEED (see "Nutrition")
FENCING 19/36-43, 76
cost 9/70; 19/43
types 19/37-43, 76
FISTULA
ear 46/16, 18
fistulous withers 23/74-77
FLIES (see also "Parasites")
blow 6/47, 51
bot 1/70; 2/9; 6/47, 51; 7/18, 22
deer 6/47, 51
defenses against 45/33-34; 46/53, 56
face 6/47, 51
horn 6/47, 51
horse 6/47, 51
house 6/47, 51
life cycle 6/48
stable 6/47, 51
warble larva 31/38
FOALS 1/10; 14/34, 63; 22/12-17 (see also "Reproduction" and "Weaning")
behavior 29/77
care of newborn 14/34, 63; 22/12-17
disorders 16/50-51:
bruises 15/32
constipation 15/32
contracted tendons 15/32
convulsions 41/16-17
cracked ribs 15/32
dehydration 41/16-17
diarrhea 16/70-71
dummy foal syndrome 16/18-23, 72
entropion (turned-in eyelid) 15/32
hemolytic icterus 14/63
inability to nurse 15/32
inability to stand 15/32
lax tendons 15/32
navel ill 1/10
orphans 16/52
parasites 16/75
phantom scar 28/21-23
pneumonia 16/52-53
potbelly 15/61
septicemia 16/71-72
shaker syndrome 24/73-74
sleeper foal syndrome 16/72
stress 14/33
twinning 3/24; 15/32; 28/16, 20; 29/62-63
urachus (leaky navel) 15/32
wounds 16/72, 75
eating manure 35/67
growth & development 4/24-26
in herd 29/57
immune system 1/75
immunization 16/75
meconium 22/16-17
nutrition 4/10; 6/10; 16/75; 24/18-23
restraint 19/48
sucking 29/55-57
FOUNDER 4/37, 40; 9/34-43, 56-58; 11/50-53, 61; 19/20-24, 53-57 (see also "Hoof")
acute laminitis 9/34-43, 56-58; 11/50-53, 61; 19/53
caused by black walnut shavings 29/60, 68-69
coffin rotation 11/53, 61
complications 19/23-24
diet 19/56
grain 9/38
grass 4/63; 9/38; 43/34
management 19/55-57
methionine 22/10
post-parturient 9/39
repair 19/20-24, 53-57
research 9/37-38, 40
road 9/39
role of lactic acid 9/42
signs 9/34; 11/50
steroids 48/46
treatment 19/20-24, 53-57
FRACTURES 30/32-38, 81-83; 34/12, 14-17
location 30/33:
coffin bone 4/62
facial 34/12
hip 28/20-21
leg 18/74
pastern bone 1/10
pelvic bone 7/63
sesamoid bone 1/77; 6/55-57
splint bone 46/50, 63
withers 41/20
types:
comminuted 30/32, 34-35
comminuted compound 34/15-16
compound 30/33
crack 30/32
green stick 28/20-21
kick wound 3/42
multiple 30/32-35
simple 30/32

The Revolutionary "Be Nice" Training Halter . . .

IT'S THE END OF TUG-O-WAR.

When the horse resists, the halter automatically tightens.

The revolutionary "Be Nice" training halter is the first to automatically teach your horse to behave. Its design applies uncomfortable pressure to sensitive nerve areas on the head and across the nose without hurting the horse. It can be effective for training problem horses.*

Pressure is automatically relieved when the horse relaxes.

Available in Xsml, Sml, Med, Lg, and Xlg.

US Pat 3949538
Canadian Pat 1040319

BE NICE, INC.
Route 1, Box 212, Spokane, Washington 99204
Dept. WH (509) 448-9729

LEAD WITH A NEW TWIST.

The unique, no-fuss, positive twist-release lead for quick connects and disconnects.

When you and your horse mean business, there's no time for difficult lead ropes. Our exclusive "Be Nice" lead snaps smartly onto your horse's halter, locks and unlocks instantly with a twist of your wrist. It's simple, unique design allows for easy handling in any lead situation, whether you're training, loading or just cooling your horse. You and your horse can get where you're going with less fuss, more fun.

Twist lead shaft snaps for quick connects and disconnects.

Hinged clip allows for instant release and easy locking.

(Snaps available alone.)

BE NICE, INC.
29670 Pamoosa Lane, Valley Center, California 92082
Dept. EQ (717) 749-8611

Incorrect Address Above

G

GAIT (see "Motion")

GELDING 26/16-21; 27/71; 47/33-36, 62-63
  cryptorchid 5/62; 37/16; 47/62

GENETICS (see "Prepotency" and "Reproduction")

GLANDS 1/76; 35/42-47 (see also "Hormones")
  adrenal 1/76; 3/25; 7/34; 35/44
  adrenal cortex 14/33
  endocrine 35/42; 37/24
  endorphins 37/25
  exocrine gland 35/42
  goiter 48/17
  hypothalamus 43/26
  in aged horse 12/43-44
  lymph fluid 43/16
  pituitary 1/76; 3/25; 12/43-44; 14/29, 32; 23/27; 37/25; 48/46
  sebaceous 29/28
  sweat 7/30-34, 65; 29/27-28
  thyroid 1/76; 8/46, 53; 48/17

GRASS 3/62-63; 18/26-32 (see also "Hay," "Nutrition" and "Pasture")
  Bermudagrass 8/24
  clippings 21/77
  founder 4/63; 9/38; 43/34
  mold poisoning 8/25; 11/55; 21/77
  orchardgrass 8/29
  reed canarygrass 8/22

GROOMING 1/39-40 (see also "Coat")
  bathing 41/34-38, 62-63
  blanketing 13/32; 38/44-45
  clipping 36/42-43; 37/60-61
  shampoos 41/34-38, 62-63
  sheath cleaning 16/64-65; 32/10-11, 13

GROWTH & DEVELOPMENT 2/8; 3/10-13; 4/24-33; 12/39-44

H

HAY 7/32-33; 8/22-29; 32/10 (see also "Nutrition")
  alfalfa 8/25; 17/67
  balancing nutritional values 26/54-58; 27/52-56, 82-84; 28/52-54, 73-75
  bedding 25/43
  Bermudagrass 8/24
  clover 8/28; 26/27-28
  fescue 22/6
  lespedeza 8/23
  making 27/15-16
  mold poisoning 8/25; 11/55; 21/77
  orchardgrass 8/29
  reed canarygrass 8/22
  timothy 8/26
  waste 18/75-76

HEAD
  abscess 6/65-66; 45/16-19
  conformation 30/28; 34/29
  facial paralysis 2/68-69; 45/16-19
  injuries 11/46
  skull 19/70
  tossing 32/70; 42/24-28

HEAVES 18/50-56; 21/75-76; 30/72, 74; 33/58; 36/33-34 (see also "Allergy" and "Respiratory System")
  and dewormers 21/75-76
  bronchospasm 18/51
  bronchiolitis 18/51
  causes 18/52
  parasites 18/51-52
  management 18/55
  signs 18/53-55
  treatment 18/55-56
  virus 18/52

HERDS
  and fear 37/28
  and newborns 29/57
  and stress 43/23-26
  bachelor 2/37-38; 3/21
  hierarchy 2/38-39, 43
  home ranges 2/38
  instinct 2/35
  intelligence 46/26
  movement 2/38-39
  sexual behavior 2/37-38, 43
  territoriality 33/73

HEREDITY (see "Prepotency")

HOOF 1/20-21; 3/34-38; 4/34-42, 62; 9/35; 10/31-34; 12/27-28 (see also "Farriery" and "Founder")
  boots 6/61
  circulation 3/35
  conditioning 12/27
  dressing 21/76; 45/28-31, 64
  effects of age 10/33
  hoof picks 24/85
  hoof testers 30/42-43; 43/16, 18
  horn growth 10/31; 11/53; 45/29
  parts 3/34-38, 68; 11/53
  problems 1/18-23; 4/34-42, 62:
  abscess 33/24-26
  bruises 4/39; 34/48-52
  bullet wound 43/16-19
  clubfoot 4/37, 42; 39/20
  coffin bone cyst 42/64-65
  contracted heels 4/37, 42
  corns 4/37, 39
  cracks 4/34-37; 45/30
  gravel 3/36, 39-40
  low ringbone 4/36, 62
  navicular 1/18-23; 3/34, 36-37, 68; 4/62; 6/62; 7/55; 15/51, 54; 23/44-48; 36/14
  pedal osteitis 4/36, 62; 35/64-66
  quittor 4/36, 40
  seedy toe 4/36, 40
  sidebone 4/37, 62; 37/70-71
  splay-footed 22/76
  thrush 4/36, 40; 5/61; 13/35; 17/18; 19/23-24
  tumors 4/42
  wound treatment 32/30-32

HORMONES 29/21-23; 32/16, 18-20; 35/42-47
  adrenal corticoids 3/25, 27; 6/34; 7/34; 12/44
  adrenal cortex 35/44-46
  adrenocorticotropin (ACTH) 35/43; 48/46, 48
  antidiuretic hormone (ADH) 35/42
  broodmare fertility 7/19-20
  calcium-regulating 35/46
  cortisol 14/33
  cortisone 10/14-15; 48/45
  Cushing's syndrome 29/21-23; 45/12
  estrogen 14/32; 19/61, 64-65, 68
  epinephrine 35/44-45; 37/24
  gonadotropin 3/23; 35/43, 47
  hydrocortisone 48/46, 48
  hyperthyroidism 35/44-46
  hypothyroidism 32/16, 18-20; 35/44; 48/17
  insulin 11/61
  metabolism 7/46; 8/46
  norepinephrine 35/44-45; 37/24
  oxytocin (POP) 14/32-33
  progesterone 3/23-26; 9/65; 14/29-32; 19/68
  prostaglandin 7/20; 10/14; 18/72-73; 19/64-65; 32/16, 20
  relaxin 14/29
  steroids 35/46-47; 48/44-46, 48, 72:
  benefits 48/48, 72
  hazards 48/72
  stress levels 43/24
  testosterone 2/43; 3/26; 6/34; 19/68

I

IDENTIFICATION 9/17-18; 25/49, 52-53; 26/60, 68-69; 27/59, 62-64, 66-69; 30/16; 39/47, 49; 48/58-59

IMMUNE SYSTEM 3/30-33; 5/42-45, 68; 6/17-27 (see also "Allergy")
  antibodies 3/32; 5/42-44; 8/56-57
  failure of passive transfer 3/11; 6/22
  in foals 1/75

IMPORTATION 2/14-22; 9/65; 25/48, 53-57 (see also "Piroplasmosis")

INFLAMMATION (see also "Medication")
  of eye 18/18-22
  of lung 17/70
  of scrotum 2/67
  of spine 42/62
  with lameness 34/49-50

INFLUENZA 5/39, 43-44; 16/62; 46/57
  vaccinations 3/13; 5/44

INHERITED DISEASES 21/37-42

INJECTIONS 10/44-52; 18/67; 43/36

INSURANCE 4/61; 9/70; 10/12; 33/51-54, 76; 48/40-42

INTELLIGENCE 46/22-26, 68 (see also "Behavior")



Our Pride is showing and placing... and winning!

Since 1959, Empie's excellence in synthetic harness racing equipment has become famous as the winner's edge. Our margin of excellence lies in total performance — years of research and a commitment to product innovation distinguish every item we make.

And because all Empie equipment is made from synthetics, our products are renowned for strength and lightness, and low maintenance costs.

Quality Empie products include Race and Snaffle Bridles, Martingales, Cavesons, Brow Bands, Halters and Therapy Boots. Ask your tack dealer about Empie's new "Jet Set" Harness!

Call or write for a copy of the new 1981 Empie catalogue.

Empie MFG. INC.

1021 TROY ROAD, LATHAM, N.Y. 12110 (518) 785-5837

and temperament **46**/24-26, 68
learning ability **33**/46-48; **37**/47; **46**/24-26, 68
reward, punishment motives **37**/47; **46**/26, 68

J

JOINTS (see also "Arthritis" and "Leg")
analyzing problems **29**/40-41; **35**/58-59; **37**/36-38; **45**/12
ankle thickening **27**/71
clicking **21**/77
coffin **3**/68
cortisone tap **38**/14-16; **39**/45
epiphyses **16**/13-17; **25**/17
epiphysitis **8**/48; **34**/22-23
fetlock **3**/68; **21**/77; **30**/26
hock **3**/40; **10**/57:
bone spavin **43**/12
dry hock **24**/75-76
knee **30**/26-27; **45**/12
splints **46**/50
lumbosacral **5**/30
pastern **30**/25-26; **34**/29
stifle **15**/58-61:
loose **32**/14
patella displacement **15**/58-61
torn ligament **32**/13-15

K

KIDNEYS **40**/48-51, 61
and water consumption **40**/48
disease and dysfunction **40**/51, 61:
cantharidin (blister beetle poisoning) **44**/16, 18
effect of clover hay **26**/27-28
effects of cold water **32**/15
leptospirosis **13**/10-13
urinary stones **16**/64-65; **40**/51

L

LABORATORY TESTS **23**/16; **32**/50-54; **47**/24 (see also "Examination")
bacteriology **32**/52-53
blood chemistry **32**/51-52; **47**/24:
blood sugar level **32**/52
electrolytes **32**/52
plasma protein concentration **32**/51-52
Coggins test **1**/26; **4**/16-22; **9**/65; **10**/38-39; **32**/52-53
fecal **23**/52-53; **32**/53-54; **47**/24
hematology **32**/51:
packed cell volume (hematocrit) **25**/25; **32**/51
white blood cells **32**/51
urinalysis **32**/54; **47**/24
virology **32**/52

LAMENESS **2**/47-55; **5**/65-66 (see also "Farriery," "Hoof" and "Leg")
after shoeing **40**/33-35, 60
navicular **1**/18-23; **4**/62; **6**/62; **15**/51, 54; **23**/44-49; **36**/14
osteomyelitis **1**/77; **11**/61
sidebone **4**/37, 62; **37**/70-71
sudden **34**/48-52
torn ligament **3**/42; **6**/62-63
tests for **2**/48-55

LAMINITIS (see "Founder")

LEGS **5**/27; **23**/49 (see also "Fractures," "Joints," "Lameness," "Ligaments," "Muscles" and "Splints")
blemish **19**/17
bones **5**/27:
cannon **5**/16-17; **30**/26; **34**/29
digital **1**/21
lower leg **23**/49
pastern **1**/10, 20; **3**/34, 36
sesamoid **1**/77
conformation **30**/25, 27, 76; **34**/29-30
ringbone **41**/62
stringhalt **19**/70-71
swelling **25**/44-47, 62-64:
abrasions **25**/64
lymphangitis **25**/64
purpura hemorrhagica **25**/64
stocking up **14**/58-60
strains **25**/64
wind puffs **5**/62; **31**/18
toeing out **22**/76

LIGAMENTS
ligamentum nuchae **8**/68
navicular bone suspensory **3**/37
sesamoidean **3**/37
stay apparatus **5**/27
torn **3**/42; **6**/62-63

LOADING (see "Shipping")

LONGEING **8**/12; **38**/25-29
as riding lesson **46**/67
equipment **38**/28
misuses **38**/28-29
splints caused by **46**/63

M

MEDICATION
acetylpromazine **1**/48; **5**/48
and pain **37**/25
antibiotics **1**/48-49
apomorphine **21**/67-68
atropine **45**/18
chemical restraint **19**/50
cocaine **15**/55
cortisone poisoning **38**/14-16
counterirritants **22**/27-33; **45**/29
DMSO **11**/61; **35**/56, 62-63; **46**/50, 57
fentanyl **15**/55; **18**/60, 64-65; **21**/67, 69; **29**/67
first aid kit **1**/67
for heaves **18**/55-56
for wounds **1**/48-49; **38**/18-22, 62
furosemide **7**/55; **11**/61; **12**/15-22; **29**/61, 64, 66-67; **33**/57-59, 61, 63
gentian violet **34**/57, 64
imidocarb **25**/56-57; **31**/70
laws regarding use **10**/14-20; **11**/18-21; **12**/15-22; **21**/62-69; **26**/61-63; **29**/61, 64, 66-67; **33**/57-59, 61-63
levamisole **33**/58
methylphenidate **21**/67
narcotics **21**/66-68
nitrofurazone **23**/63, 65; **38**/18-19
nonsteroidal anti-inflammatories **33**/61-62
phenylbutazone **10**/14-20; **11**/18-21; **21**/63-68; **26**/62; **29**/61, 66-67; **33**/57, 61-62; **34**/57, 63; **43**/12
phenothiazine **5**/48
promazine hydrochloride **5**/48
reserpine **12**/22-23
stable pharmacy **46**/36-42
steroids **35**/46-47; **48**/44-46, 48, 72
stimulants **21**/66-68
tranquilizers **5**/47-53
vaccines:
anthrax **5**/45
encephalitis **3**/13; **5**/42
influenza **3**/13; **5**/44
parasite **7**/28
rabies **5**/42
rhinopneumonitis **3**/13; **5**/45; **41**/50
strangles **3**/13; **5**/45
tetanus **1**/48; **3**/13
xylazine **5**/48

MINERALS **7**/30-34, 65; **28**/52-53 (see also "Nutrition")
ash **28**/72-73
calcium **1**/18; **4**/13; **7**/30; **26**/54-55
depletion **7**/32-34, 65
electrolytes **28**/72
geophagia (dirt eating) **41**/22
iodine **26**/52-54; **28**/54
magnesium **7**/32
phosphorous **1**/18; **4**/13; **7**/30-32; **26**/54-55, 58
potassium **7**/32
salt **7**/32; **26**/52; **31**/18, 20
selenium **23**/72; **28**/54
supplements **7**/32, 34; **33**/64, 66

MOTION
analysis **32**/34-39, 75
biomechanics of **5**/25-32
gaits **42**/40-43, 45
with regard to conformation **30**/23

MOUTH (see also "Teeth")
examination **28**/30-31
jaw wounds **23**/18-23
salivary glands **1**/55; **23**/18-23
tongue **1**/54

MUSCLES **5**/25-32; **11**/22-28
anatomy of **11**/24-28
back **5**/26; **27**/47
biceps femoris **5**/31; **11**/24
brachiocephalicus **5**/32; **11**/24-25

slicker, glossier coats in three weeks or less

GOLDEN GROOM, the winners' supplement with 32% natural protein and all necessary vitamins and minerals, puts the nutritional magic of brewer's yeast to work for your horse in a highly palatable form at half the price you'd expect. If health, stamina, and show-perfect good looks are important to you, you'll insist on GOLDEN GROOM.

☐ Tell me the dealer nearest me.
☐ Send more information.
☐ Tell me how I can become a dealer.

EQS

Name _____
Address _____
City _____
State _____ Zip _____
Phone _____

Mail today to: The Emmert Grain Company
2007 Dunlap Avenue, Cincinnati, Ohio 45214

©1980-The F. L. Emmert Company

cardiac **11**/22
conformation **30**/24
deep digital flexor **5**/31
during sleep **6**/35-36
evolution of **11**/22-28
fly shaker **29**/28
leg **5**/27-28; **11**/25
manipulation **4**/44-48, 66
myositis **3**/54
neck **5**/27
pectoral **5**/31
role of nerves **11**/26-27
serratus (shoulder) **5**/28; **33**/64
sling **25**/17
thoracic **5**/34
triceps **5**/31; **11**/25
tying up **3**/53-54; **24**/42-46, 61

N

NERVING **31**/56-57; **36**/14, 16-17
cryoneurectomy **40**/30-31
NERVOUS SYSTEM **11**/44-49, 57
and pain **37**/24
carpal tunnel syndrome **45**/12
conditioning **12**/26
diseases of **5**/42; **11**/44-49, 57
encephalitis **3**/30; **5**/42
incoordination **11**/44-49
neurotransmitters **37**/24-25
paralysis **2**/68; **20**/20-24; **45**/16-19
radial nerve injury **44**/20, 22
role in coughing **5**/34
wobbles **11**/44-49, 57
NOSEBLEEDS (epistaxis) **7**/55; **12**/14-20
NUTRITION (see also "Grass," "Hay," "Minerals," "Obesity," "Protein" and "Water")
calculating feed requirements **26**/52-58; **27**/52-56, 82-84; **28**/50-54, 72-75
energy **4**/14; **7**/46; **8**/50; **26**/54, 56-57
feed cost **9**/47
foal diet **4**/10-15; **6**/10
foodstuffs:
beet pulp **8**/55-56
bone meal **33**/64, 66
bran **37**/72; **43**/12, 14
carbohydrates **1**/57; **7**/50
carrots **24**/76-77
cellulose **1**/58
corn **4**/13; **11**/54-56
eggs **3**/61
fats **28**/73-74
grain **4**/12-15; **6**/60; **7**/32, 50
mash **6**/60
milk **43**/15
oats **4**/12; **11**/54; **17**/67; **46**/53, 59-60
pelleted feed **30**/75-76
popcorn **34**/20, 22
soybean **4**/12; **7**/50
vegetables **35**/66-67; **11**/54-55
for aging horse **12**/42-43
girth/weight conversion table **27**/84
malnutrition **7**/44-51, 66; **37**/28-29, 50; **46**/50
newborn **16**/75; **24**/18-23
Pearson square **27**/54-55
supplements **28**/50-54, 72-75
temperament and diet **29**/23

O

OBESITY **1**/18-23; **8**/46-53, 62-63
destruction of crest **38**/14
effect on reproduction **8**/50
lipoma **8**/48; **12**/42
splints caused by **46**/50, 63

P

PARASITES **1**/70-71; **2**/9, 13, 58; **3**/30; **7**/18, 22-28, 48; **23**/35-42
and heaves **21**/75-76
ascarids **2**/9, 13; **7**/22-23; **18**/56; **23**/42
blood parasites **31**/66, 69-70
bots **1**/70; **2**/13; **6**/47, 51; **7**/18, 22; **23**/37, 40
deworming **28**/13-15; **33**/66-67; **47**/48-49:
administering oral medication **48**/55
and pregnancy **18**/76-77
benzimidazole **2**/9; **47**/49
cambendazole **2**/9, 13
diatomaceous earth **36**/54
dichlorvos **2**/9
fallacies **23**/36
injectible dewormer **47**/48
mebendazole **2**/9
organophosphates **28**/13-15
paste **1**/70-71; **2**/13
phenothiazine toxicity **33**/66-67
pyrantel pamoate **47**/49
rotation **33**/66-67
schedule **23**/40
thiabendazole **2**/9
tube **1**/70-71
vaccination **7**/28
effect on digestion **7**/24
fecal examination **23**/52-53; **32**/53-54; **43**/36
habronema **2**/58
in foal **16**/75
lungworm **5**/41
management **23**/42
onchocerca **7**/53
pesticides **6**/46-51
pinworms **2**/9; **23**/39
roundworms **5**/41
strongyles **2**/9, 13; **7**/22-28, 48; **23**/37-38; **47**/48-49
tapeworms **47**/49
ticks **16**/54, 59
PASTURE **3**/62-63; **7**/26; **9**/47-48; **18**/27-32
hazards **1**/46
herbicides **13**/60
in summer **45**/34-35
spring inspection **43**/33-36
PERITONITIS **7**/63
PIROPLASMOSIS **2**/14-22; **16**/54, 59-61; **17**/60-61; **25**/56-57; **31**/60, 66-67, 69-71
POISON
algae **22**/18
alsike clover **27**/71
amsinckia (fiddleneck) **21**/45, 53
black locust **25**/58
black walnut **29**/60, 68-69
bracken fern **21**/48-49
cantharidin (blister beetle) **21**/62, 70-71; **44**/16, 18
crotalaria (rattleweed) **21**/45
equisetum (horsetail) **21**/48-49
fescue **32**/56, 62-63
fungal **23**/77; **28**/64-65
instincts against **37**/29
Japanese yew **21**/50
Kentucky coffee tree **25**/58
lantana **21**/53
locoweed **21**/51-52; **41**/20, 22
mold poisoning **8**/25; **11**/55; **21**/77
monensin **43**/61, 64
Ohio buckeye **25**/58
oleander **21**/49-53
organophosphate **28**/13-15; **33**/66-67
petroleum **4**/69-70
phenothiazine **33**/66-67
phenylbutazone **34**/57, 63
photosensitivity **27**/71; **36**/47
prunus virginiana (chokecherry) **21**/47
range block **30**/64-65
red maple **44**/64
Russian knapweed **21**/50-51
salmonella **7**/51; **22**/76-78
seleneum **23**/72
senecio **21**/45, 53
steroidal anti-inflammatories **34**/63
strychnos ignatii (St. Ignatius' bean) **39**/16-19
torpedo grass **21**/32
toxic proteins **14**/37-38
treatment **21**/52
white snakeroot **21**/50
wild cherry **25**/58
yellow star thistle **21**/50-51
POLL EVIL **8**/68-69 (see also "Fistula")
PREPOTENCY **26**/44-49; **28**/42-47 (see also "Coat Color")
crossbreeding **28**/45
genes **26**/45-48; **28**/42
inbreeding **28**/45
inherited diseases **21**/37-42
progeny testing **28**/45
tracing prepotent qualities **28**/44-45

R

RABIES **5**/42; **37**/39, 82

HOOFGRIP — **THE NO THREAD STUD**

join *Bruce Davidson* use the stud system for winners



Introduction Kit with tools, 8 studs, and instructions $17.00

Send your prepaid order to:

Dealer inquiries invited.

HOOFGRIP INC.
P.O. Box 250, 4563 Guide Meridian
Bellingham, Washington 98227
Telephone: (604) 584-6388

RACING (see also "Activities," "Breeds" and "Medication")
dangerous surfaces 6/58
economic legislation 19/62-63
force plates 5/16-17; 6/58
injuries 5/16-17; 6/53-59; 10/14-20; 11/18-21
prerace vet check 6/54
public image 48/57, 64-65
RECORDKEEPING 8/16-18; 30/53-54, 56, 79
REGISTRIES (see also "Breeds")
requirements 27/30-31
white markings restrictions 23/62, 68-71
REPRODUCTION (see also "Hormones")
breeding 2/28-37; 3/21-22; 18/72-73; 19/68; 27/28-32, 76-77;
artificial insemination 27/31-32
crossbreeding 36/24-28
during foal heat 11/56-57
fetal transfers 19/61, 64-65; 22/68, 70-73; 42/58-59
inbreeding 21/39
hand breeding 27/29-31
older mares 21/75
pasture breeding 27/28-29
sexual behavior 2/37-38, 43; 3/21
veterinary check 18/72
mare care:
broodmare fertility 7/19-20
estrus 3/21; 7/20; 18/72-73; 19/68
infection and infertility 2/23-26; 8/15-16; 27/32
rebreeding 36/17
reproductive system 3/21-27
pregnancy and birth 3/22-27; 14/28-34, 63; 22/12;
amnion 14/34; 22/12, 16
and deworming 18/76-77
colostrum 14/29, 33, 58, 63; 22/14; 41/16-17
electronic palpation 29/72-73
fetus 3/22-27
newborn immunization 16/75
placenta 3/22, 27; 9/39; 14/33-34; 22/16
supplies 14/29, 32
zygote 3/22
pregnancy and birth difficulties 3/24; 15/28-32:
abortion 3/25-26; 9/65; 28/16; 32/56, 62-63
aggressive mare 39/20-21
Caesarian section 15/31
damaged placenta 41/17
hematoma 15/31
locoweed poisoning 41/20, 22
malpresentation 14/34; 15/29-31
maternal lacerations 13/60-62; 15/29-30
nursing hot mares 30/74-75
pinched umbilical cord 41/17
post-parturient founder 9/39
prolapsed uterus 15/31
prolonged lactation 42/62-63
retained placenta 14/63; 15/31
twins 3/24; 15/32; 28/16, 20; 29/62-63
unnatural environment 39/21
uterine artery rupture 15/30-31; 21/75
stallion care:
gelding 26/16-21; 27/71; 47/33-36, 62-63
impotence 20/68-69
reproductive system 3/21-27
scrotal inflammation 2/67
sperm 2/67; 3/22, 26; 5/62
testicle retention 5/62; 25/58-59; 47/34-36, 62
RESPIRATORY SYSTEM 5/34-41; 30/72 (see also "Allergy," "Heaves," "Influenza," "Medication," "Rhinopneumonitis" and "Strangles")
breath examination 28/36; 35/38-39
conditioning 25/24
parts:
alveoli 5/39-40; 12/15
bronchioles 5/39-40; 18/52-53
epiglottis 1/55; 5/39
glottis 5/34
larynx 5/34
lungs 5/34, 40; 12/15
pharynx 5/39
thoracic muscles 5/34
trachea 5/40
problems:
abscess 5/40
aspiration pneumonitis 5/40
asthma 36/33-34
bacterial infection 5/39
benign tumor (polyp) 11/64-66
bleeder treatment (bioflavinoids) 44/72-73
bronchiolitis 5/40-41; 18/51, 53
chronic bronchitis 5/40
coughing 5/34-41; 30/72, 74
equine herpes 5/39, 45
esophageal scar 47/18
follicular pharyngitis 30/72, 74
larynx collapse 46/12
larynx paralysis 36/18-19
lung disease diagnosis 35/38-39
lung hemorrhages 5/40
lung inflammation 17/70
lung obstruction 5/40-41
lung tumors 12/63-64
pleurisy 43/16
pneumonia 5/50; 14/14; 16/52-53
pulmonary edema 5/40
rate during sleep 6/35
RESTRAINT 19/45-50, 72
hobbles 12/58; 45/12
knots 28/76; 42/46-47
RHINOPNEUMONITIS 2/67; 3/25, 31; 5/39, 43-45; 41/48-52; 43/24-25

S

SCHOOLS 24/37-41, 60
donating horses 39/47, 52-53
farriery 23/24, 80-83
veterinary 38/47-53
working pupils 42/30-36, 71
SCINTIGRAPHY 45/48-49 (see also "X-rays")
SEASONAL CARE
spring 43/32-36
summer 45/33-35
winter 7/11-13; 13/29-35; 38/41
SHIPPING 16/33-38; 17/52-53
air 28/57-58
behavior problems 17/53
commercial 16/36-37
fever 17/55
hitches 30/84
injury prevention 17/53-54
interstate 1/12-17; 12/60
loading 5/9-13; 9/8-13; 35/30-36; 37/30-31
trailers 16/34-38
SHOEING (see "Farriery" and "Hoof")
SKIN (see also "Allergy," "Cancer" and "Coat")
bumps 26/26-27; 30/76-77; 31/34-40
types:
angioedema 31/36
collagen granuloma 31/38-39
edema 11/41
epidermal inclusion cyst 31/40
hives 31/36; 36/33
insect bites 31/36
lymphosarcoma 31/40
mast cell tumors 31/39
melanoma 5/19; 12/44; 31/39
onchocerciasis 31/37
papillary ancanthoma 30/76-77
ringworm 31/36; 36/48; 48/17-18
saddle acne 31/36
sarcoids 30/77; 31/37
skin nips 31/36
squamous cell carcinoma 31/38
tack bumps 31/37
tumors 20/70; 21/20-24
warble fly larva 31/38
warts 26/26-27; 31/37
construction:
dermis 29/25-27
epidermis 29/25-26
fly shaker muscle 29/28
follicles 29/26-28
hair 29/26
hypodermis 29/25-26, 28
keratin 29/25
melanin 29/25
sebaceous gland 29/28
sweat gland 29/27-28
examination 28/36-37
surface ailments:
burns 4/63-64; 31/12, 14-16
callus 9/64
caustic burns 36/46-47

Our 106th Year
KAUFFMAN & SONS SINCE 1875
1001 GIFT IDEAS!
KAUFFMAN'S NEW ILLUSTRATED GUIDE.
A must for horse lovers. The most complete catalog of English and Western Boots, Saddles, Tack, Riding Clothes, Gifts, Equipment and much more! Based on our experience of over a century, it provides a COMPLETE REFERENCE on what to use, how to use it, what you need for yourself, your horses, your stable. 80 pages, 300 illustrations $2.95 postpaid.
WET WEATHER BOOTS
Completely waterproof. Great for stable tackroom, very smart for wet-weather wear anywhere. Black Rubber. English Style. Ladies'/Men's/Children's.
$21.95
KAUFFMAN & SONS
Dept. E-11 139 East 24th St., NY, NY 10010
☐ Send _____ prs. Rubber Boot(s) @ $21.95
Size(s)_____ I enclose $_____
plus $1.95 handling N.Y. Res. add tax.
NAME _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____
☐ Send new '81 Catalog. I enclose $2.95.
212-MU 4-6060. ALL MAJOR CREDIT CARDS

PRITCHARD VITAMIN MINERAL SUPPLEMENT is a liquid food supplement formulated to fortify your horse's regular ration. Benefits of this product are improved appetite, increased digestibility, improved blood count, increased alertness, better hoof condition and glossier coat.
We invite you to try One Gallon of PRITCHARD VITAMIN MINERAL SUPPLEMENT, with dispensing pump sent you freight prepaid for just $21.95.
Ship To:
NAME: _____
ADDRESS: _____
CITY: _____
STATE: _____ ZIP: _____
PHONE: ( )- _____
Payment of $21.95 must accompany your order. No COD Shipments.
M.J. PRITCHARD, INC.
PO BOX 15264
MINNEAPOLIS, MN 55415
(612) 332-8873
PRITCHARD
Processors of Jockey Oats

FREE Horse Stationery and Note Card Catalog!
Beautiful realistic drawings of breeds and scenes, plus other animals. Priced from $2.50 to $3.95. Perfect for Christmas! Write:
SONYA NUSSBAUM
P.O. Box 6, Dept. EQ
Meggett, SC 29460
Dealer inquiries invited.

EQUINE FORMS
1981 Catalog $1.00
5501 Wild Rose Ln.
Milford, OH 45150
(513) 631-2103
Tara Wiemeyer
BUSINESS FORMS & RECORD SYSTEMS FOR HORSE PEOPLE

Reserve space now for
The January Stallion Supplement
301-977-3900
Space deadline November 2

chemical irritation **36**/*48*
contact dermatitis **36**/*34*
dew poisoning **36**/*46*
fungus **1**/*75-77*; **3**/*32*; **48**/*17-18*
girth itch **36**/*48-49*
insect saliva allergy **36**/*47-48*
lice infestation **36**/*48*
microsporum gypseum **3**/*13*
mites **36**/*49*
photosensitization **22**/*6*; **27**/*71*; **36**/*47*
rainrot **29**/*18*; **36**/*46*
rain scald **13**/*32*
ringworm **31**/*36*; **36**/*48*; **48**/*17-18*
scald **11**/*40*
scratches **13**/*18, 32*; **15**/*62*; **23**/*48*; **36**/*47*
seborrhea **36**/*49*
sunburn **20**/*71*
tick bites **36**/*48*

SLAUGHTER **17**/*41-48, 68-69*; **22**/*69, 74* (see also "Identification")

SLEEP **6**/*28-36, 64*

SPLINTS **18**/*73-74*; **46**/*46-50, 63*
avoiding **46**/*50, 63*
causes **45**/*46*
types **46**/*48, 50, 63*
vs. casts for leg injuries **45**/*58*

STRANGLES **5**/*39*; **7**/*50*; **10**/*64, 66-67*; **16**/*62*; **26**/*30-34*; **30**/*18, 20-21*

STRESS **43**/*22-26*
cardiovascular conditioning **25**/*22-28*
causes:
crowding **43**/*24*
herd hierarchy **43**/*23-24*
isolation **43**/*24*
eliminating stress-associated disease **43**/*25-26*
foal **14**/*33*
weaning **43**/*25*

SWEATING (see "Glands")

T

TACK (see also "Bit" and "Longeing")
bell boots **29**/*84*
blankets **26**/*79*
care **36**/*12-13*
choosing **36**/*12-13*
English vs. western **43**/*60, 67*
leather **36**/*10, 12-13*
martingale **36**/*10*; **42**/*26-27*; **46**/*34*
pads **11**/*42*; **36**/*36-39, 68-69*
repairing **40**/*14*
saddles **11**/*37-42*; **27**/*34-36*; **42**/*20, 22, 62*
splint boots **46**/*63*
training equipment **8**/*11*; **46**/*30*

TEETH **1**/*54*; **7**/*48*; **12**/*39, 60*; **18**/*34-39, 68-69*
aged **12**/*39*
bit's effects on **18**/*37-39*
cavities **12**/*60*; **18**/*68*
floating **18**/*39, 68*
foals' **18**/*36*
incisors **18**/*37*; **28**/*30*
molars **18**/*37*
parrot mouth **18**/*37, 68*; **28**/*30*; **31**/*20-21*
shear mouth **18**/*68*
wolf teeth **18**/*39*

TEMPERAMENT **46**/*24, 68*; **47**/*40-45*

TENDONS
bowed **6**/*63*; **20**/*36-41*
conformation **30**/*26*
contracted **14**/*60-61*; **15**/*32*; **24**/*18-23*; **34**/*22-23*; **37**/*63*
deep digital flexor **3**/*34-37*
digital extensor **3**/*37*
flaccid flexor **29**/*18-21*
kick injury **3**/*42*
lax in foal **15**/*32*
repair **26**/*50-51*
severed **3**/*42*; **35**/*16, 18-21*
stay apparatus **5**/*27*
stringhalt **19**/*70-71*
surgery **20**/*40*; **43**/*12*
tear **6**/*62-63*
wind puffs **5**/*62*; **31**/*18*

TETANUS **3**/*30*; **5**/*42-43*
antitoxin **14**/*58*; **20**/*74-75*
pain **37**/*82*
vaccinations **1**/*48*; **3**/*13*; **46**/*38-39*

THERMOGRAPHY **33**/*42-43*

TOXICITY (see "Poison")

TRAILERING (see "Shipping")

TRAINING (see also "Bitting," "Longeing" and "Vices")
driving **8**/*12*; **11**/*8-13*; **48**/*32-38*
goal-oriented method **37**/*40-43*
interval method **25**/*28*; **27**/*23-25*
modification **9**/*20-27*
punishment **9**/*25*; **10**/*27*; **46**/*26, 68*
reinforcement **8**/*36*; **9**/*23-26*
use of pain and fear **37**/*30-31*
using senses, instincts **37**/*48*; **46**/*26*

TYING UP (azoturia) **3**/*53-54*; **24**/*42-46, 61*

V

VICES **2**/*35, 44*; **10**/*25-26, 54-55*; **32**/*42-46, 68-71*
stall **32**/*45-46, 68*:
biting **32**/*46, 68*
cribbing **10**/*25, 54-55*; **32**/*45*; **47**/*16, 18*
head tossing **42**/*27*
kicking **32**/*46*
pawing **32**/*46*
weaving **32**/*45-46*
windsucking **32**/*45*
wood chewing **32**/*46*
under saddle **32**/*68-70*:
bolting **32**/*68*
bucking **32**/*69*
head tossing **32**/*70*; **42**/*24-28*; **46**/*31-34*
rearing **32**/*69-70*
shying **43**/*46-50, 70-73*
stumbling **42**/*20, 22*; **47**/*26-30, 66-67*
whirling **32**/*69-70*

VIRAL INFECTION **3**/*30-33*; **5**/*42-45, 48* (see also "Laboratory Tests" and "Rhinopneumonitis")
herpes **20**/*20-24*

VITAMINS **12**/*53-56, 70*; **28**/*54, 73* (see also "Nutrition")
A **12**/*53-54*; **44**/*65, 68-69*
B **5**/*52*; **12**/*56, 70*
C **12**/*55-56*
D **12**/*54-55*
E **12**/*55*; **38**/*62*
K **7**/*55*; **12**/*55-56*

W

WATER **13**/*31-32*; **22**/*18-23* (see also "Nutrition")
and bran **43**/*12-14*
in winter **13**/*31-32*; **48**/*18*
training to walk through **8**/*54*
watering **24**/*74-75*; **25**/*60-61*; **26**/*52*
waterers **32**/*77*

WEANING **2**/*41-43*; **3**/*10-11*; **45**/*22-26, 63* (see also "Foals")
early weaning effects **27**/*58, 60*
trauma **39**/*27-28*; **43**/*25*

WOBBLES **11**/*44-49*; **21**/*54-55*; **46**/*57*

WOUNDS **1**/*46-49, 66-68*; **2**/*56-59*; **6**/*70*; **9**/*29-33*; **38**/*18-22, 62* (see also "Medication")
bleeding **1**/*47*
complications **2**/*56-59*
eye **11**/*11*
granulation **2**/*56*; **4**/*64*
head **11**/*46*; **34**/*54-55*
healing **2**/*57*; **6**/*62-63*; **38**/*20*
jaw **23**/*18-23*
kick wounds **3**/*40-44*; **13**/*16*
proud flesh **2**/*56-59*; **38**/*18, 20*
puncture pain **37**/*36*
Red Alert areas **1**/*49*
shock **1**/*47*
stitches **1**/*66*
summer sore **2**/*58*; **7**/*34*
treatment **34**/*50-51*:
cleaning **1**/*66-67*; **38**/*18, 20*
dressing **1**/*68*; **38**/*18-22, 62*
examination **34**/*51*
inspection **1**/*48-49*

X

X-RAYS **6**/*40-44*; **45**/*48-49*

Z

ZONING **31**/*23-27, 72-73*

6 GOOD REASONS TO BUY AMERICAN

★ 1. Precision-made, super strength, flexible tree with forged steel stirrup bars.

★ 2. Newest style deep seat, narrow twist, cut-back head design is perfect for optimum rider balance and comfort.

★ 3. Precision moulded panels conform to your horse for maximum comfort and fit. (Never a problem with one panel thinner or thicker, these are always correct.)

★ 4. Available in regular, wide, and extra wide fit, these saddles are made in America for American-bred horses.

★ 5. Only the finest, select hides are good enough for Whitman saddles. All are analine dyed, never is plastic or pigment dyed leather substituted for any of the leather parts.

★ 6. Complete American factory service facilities for all American-made WHITMANS.

Since 1865 WHITMAN SADDLES

Be certain to see these great new WHITMANS at your authorized WHITMAN saddle dealer. He'll happily demonstrate these and more unique quality features of this superb saddle line and we think you will agree it is smart to ride the precision one . . . the WHITMAN . . . built in America since 1865.

Write for the name of your nearest authorized WHITMAN dealer. Dealer inquiries invited.

MIDWEST SADDLERY CO. Division of:
WHITMAN SADDLE MFG. CO., INC.
4415 B Drive South
Battle Creek, MI 49017